

University of Groningen

LysM, a widely distributed protein motif for binding to (peptido)glycans

Buist, Girbe; Steen, Anton; Kok, Jan; Kuipers, Oscar P.

Published in:
Molecular Microbiology

DOI:
[10.1111/j.1365-2958.2008.06211.x](https://doi.org/10.1111/j.1365-2958.2008.06211.x)

IMPORTANT NOTE: You are advised to consult the publisher's version (publisher's PDF) if you wish to cite from it. Please check the document version below.

Document Version
Publisher's PDF, also known as Version of record

Publication date:
2008

[Link to publication in University of Groningen/UMCG research database](#)

Citation for published version (APA):

Buist, G., Steen, A., Kok, J., & Kuipers, O. P. (2008). LysM, a widely distributed protein motif for binding to (peptido)glycans. *Molecular Microbiology*, 68(4), 838-847. <https://doi.org/10.1111/j.1365-2958.2008.06211.x>

Copyright

Other than for strictly personal use, it is not permitted to download or to forward/distribute the text or part of it without the consent of the author(s) and/or copyright holder(s), unless the work is under an open content license (like Creative Commons).

The publication may also be distributed here under the terms of Article 25fa of the Dutch Copyright Act, indicated by the "Taverne" license. More information can be found on the University of Groningen website: <https://www.rug.nl/library/open-access/self-archiving-pure/taverne-amendment>.

Take-down policy

If you believe that this document breaches copyright please contact us providing details, and we will remove access to the work immediately and investigate your claim.

Downloaded from the University of Groningen/UMCG research database (Pure): <http://www.rug.nl/research/portal>. For technical reasons the number of authors shown on this cover page is limited to 10 maximum.

Table S1	NCBI	Name	Specificity	Function	Loc/Nr LM	Loc Prot
Prokaryotes						
<i>Arthrobacter aureus</i>	AAS20113	lap	protein p60 precursor		Centr / 1	unknown
<i>Bacillus cereus</i>	AAT84585	ExsA	spore resistance / germination	promotes anchoring of the	N / 1	spore
	CAB69802	Cwh	putative cell wall hydrolase		N / 2	Sec
<i>Bacillus phage phi29</i>	P11187	Gp15	phage lysozyme	Host cell lysis	C / 2	Sec
<i>Bacillus subtilis</i>	NP_388823	LytE	D.L-endopeptidases		N / 3	Sec
	O31852	CwlS	D.L-endopeptidases		N / 4	Sec
	O07532	LytF	D.L-endopeptidases		N / 5	Sec
	CAB13670	YneA		regulator	C / 1	Mem
	CAB11792	YaaH	spore resistance / germination		N / 2	spore
	CAB12390	YdhD	cortex-lytic enz		N / 2	spore
	CAB14216	YpbE			C / 1	spore
	CAB13277	YkuD	L,D-Transpeptidases		N / 1	spore
	CAB13251	YkvP			C / 1	spore
	CAB14744	SafA (YrbA)	spore resistance / germination		N / 1	spore
	CAB14771	SpoVID			C / 1	spore
	CAB13813	YocH			N / 2	Sec
<i>Clostridium acetobutylicum</i>	NP_349353	CAC2747	Chitinase		N / 2	unknown
<i>Clostridium tetani</i>	NP_781274	CTC00595	gamma-D-glutamyl-L-diamino acid endopeptidase I		N / 1	unknown
	NP_782564	CTC01995	2',3'-cyclic-nucleotide 2'-phosphodiesterase		C / 1	Sec
<i>Desulfotobacterium frappieri</i>	AAK95329	AY043467.1	chlorophenol reductase precursor		N / 1	Sec
<i>Enterococcus faecalis</i>	AAO80613	AtlA	Glucosaminidase	cell separation/autolysis	C / 6	Sec
	NP_816421	EF2795			C / 1	Lipo
<i>Escherichia coli</i>	AAC73316	MltD	transglycosylase		C / 2	Sec
	AAC74748	YnhG	L,D-Transpeptidases	Attachment of the Braun L	N / 1	Sec
	AAC74197	YcfS	L,D-Transpeptidases	Attachment of the Braun L	N / 1	Sec
	AAK26724	Eae			N / 1	Outer-Mem
	2018294A	NlpD			N / 1	Lipo
<i>Francisella tularensis</i>	ABD63926	FsaP		adherence to A549 human	N / 1	Outer-Mem
<i>Geobacillus kaustophilus</i>	BAD74834	GK0549	N-acetylmuramoyl-L-alanine amidase		C / 1	Sec
group B <i>Streptococcus</i> (GBS)	AAG18478	Sip		surface immunogenic prot	N / 1	Sec
<i>Lactococcus lactis</i>	CAL96887	AcmaA	N-acetylglucosaminidase	cell separation/autolysis	C / 3	Sec
	CAL97113	AcmaD	N-acetylglucosaminidase	cell separation/autolysis	C / 3	Sec
<i>Lactobacillus fermentum</i> BR11	AAS55430	Sep			N / 1	Sec

<i>Lactobacillales</i>	YP_811461	LacCOG01826	unknown	C / 1	Mem
<i>Lactobacillus salivarius</i> UCC118	ABD99118	LSL_0304	Lysozyme	Phage lysin [Lactobacillus C / 2	Sec
	ABD99615	LSL_0805	Lysozyme	Phage lysin [Lactobacillus C / 2	Sec
		LSL_0090, LSL_0901, LSL_1267, LSL_1034, LSL_1036	Hypothetical proteins		Sec
	ABD99186	TagH	teichoic acid translocation ATP-binding protein	C / 1	Mem
<i>Lactobacillus plantarum</i>	lp_0302, lp_0314, lp_0315, lp_2162, lp_0304, lp_2845, lp_2847		extracellular transglycosyl N		Sec
	CAD65521	lp_3421	gamma-D-glutamate-meso-diaminopimelate muropeptidase	N / 1	Sec
	CAD63286	lp_0681	phage lysin	C / 1	Sec
	CAD64709	lp_2401	phage lysin	C / 1	Sec
<i>Lactobacillus reuteri</i>	Lr0537, Lr858, Lr1267		Apf like proteins	N / 1	Sec
	Lr0299, Lr0342 and Lr1712		cell wall hydrolase	N / 1 and N / 2	Sec
	AAV86914	Lr1822	muramidase	C / 4	Sec
<i>Lactobacillus reuteri</i> DSM 20016	AAP97047	Ire0012	endolysin phage phiAM2	N / 1	Sec
	AAP97073	Ire0016	cell-wall hydrolase LytN-like protein	N / 1	Sec
	AAP94109	Ire0018	aggregation promoting factor	N / 1	Sec
<i>Listeria innocua</i>	CAC97892	LIN2666		N / 2	Sec
<i>Listeria monocytogenes</i>	P21171	lap, P60	murein hydrolase	cell division, generation of N / 2	Sec
	CAC98958	Lmo0880		C / 1	Cell Wall
	CAC99381	Lmo1303		C / 1	Sec
	CAD00019	Lmo1941		C / 1	Mem
	CAD00600	Lmo2522		N / 2	Sec
	NP_466213	NamA (MurA)	muramidase	cell separation, autolysis	C / 4
<i>Mycobacterium bovis</i>	CAD94180	Mb1319	Esterase	N / 2	Sec
<i>Micrococcus luteus, Mycobacterium</i>	CAB09664	Rpf	Lysozyme like enzyme	C / 1	Sec
<i>Mycobacterium tuberculosis</i>	NP_217235	Rv2719c	cell wall hydrolase	C / 1	Mem
<i>Neisseria meningitidis</i>	CAA09002	TspA		elicits immune response d N / 1	Outer-Mem
<i>Oceanobacillus iheyensis</i>	BAC15012	OB3056	cell wall-binding protein	N / 2	Sec
<i>Pteris ryuensis</i>	BAE98134	prchiA	chitinase	N / 2	Sec
<i>Renibacterium salmoninarum</i>	AAM47180	LysB	Lysin	C / 1	Sec
<i>Staphylococcus aureus</i>	BAE47503	Sle1/Aaa	N-acetylmuramyl-L-alanine amidase	cell separation/autolysis	N / 3
	Q2FYF1	EbpS		Elastin-binding protein	C / 1
	BAA33856	LytN	cell wall hydrolase	Centr / 1	Sec

	ABD29253	Protein A	IgG binding protein		C / 1	Cell Wall
<i>Staphylococcus epidermidis</i>	CAC80837	Aae / ScaA	N-acetylmuramyl-L-alanine amidase	cell separation/autolysis	N / 3	Sec
	AAO04030	ScaB		secretory antigen SsaA-like	N / 2	Sec
	AAO04134	ScaE			N / 1	Sec
<i>Streptococcus thermophilus</i>	AAW82373	Cse	cysteine histidine-dependent aminohydrolase	cellular segregation	N / 1	Sec
<i>Streptomyces avermitilis</i>	BAC69351	SAV1640	Peptidase		N / 1	Sec
<i>Streptomyces coelicolor</i>	CAB39706	AL939129.1	Peptidase		N / 1	Sec
<i>Thermoanaerobacter tengcongensis</i>	AAM25810	NlpD6	Endopeptidase		N / 1	Sec
Eukaryotes						
<i>Caenorhabditis elegans</i>	O16237	F07G11.9	chitinase		N / 12	Sec
<i>Lotus japonicus</i>	CAE02590	NFR1	Nod-factor receptor kinase		N / 3	Mem
	CAE02598	NFR5	Nod-factor receptor kinase		N / 3	Mem
<i>Medicago truncatula</i>	ABF50224	NFP	Nod-factor receptor kinase		N / 3	Mem
	AAQ73159	LYK3	Nod-factor receptor kinase		N / 2	Mem
<i>Pisum sativum</i>	CAE02596	SYM10	Nod-factor receptor kinase		N / 3	Mem
<i>Arabidopsis thaliana</i>	NP_566689	At3g21630/LysM	LysM domain-containing receptor-like k	chitin elicitor signaling	N / 3	Mem
	NP_175606	At1g51940	protein kinase family protein / peptidoglycan-binding	LysM domain	N / 1	Mem
	NP_179957	At2g23770	protein kinase family protein / peptidoglycan-binding	LysM domain	N / 2	Mem
	NP_180916	At2g33580	protein kinase family protein / peptidoglycan-binding	LysM domain	N / 1	Mem
<i>Oryza sativa Japonica Group</i>	Q8H8C7	CEBiP	Chitin elicitor-binding protein precursor		N / 2	Mem
<i>Gibberella zeae</i>	XP_383730	FG03554.1	CVNH protein	sugar-binding antiviral protein	C / 1	
<i>Botryotinia fuckeliana</i>	EDN20091	BC1G_03481	CVNH protein	sugar-binding antiviral protein	C / 1	

pl	Remarks	Reference
5.89	homolog of SafA of <i>B. subtilis</i>	Desvaux <i>et al.</i> , 2006
5.93		Baily-Smith <i>et al.</i> , 2005
9.54		Desvaux <i>et al.</i> , 2006
10.00		Garvey <i>et al.</i> , 1986
10.28		Yamamoto <i>et al.</i> , 2003; Fukushima <i>et al.</i> , 2006
10.03	localizes at the celll separation s	Fukushima <i>et al.</i> 2006
10.00		Yamamoto <i>et al.</i> , 2003; Fukushima <i>et al.</i> , 2006
4.81	cell division suppressor during S	Kawai <i>et al.</i> , 2003
5.72		Kodama <i>et al.</i> , 2000
9.01		Kodama <i>et al.</i> , 2000; Chirakkal <i>et al.</i> , 2002
5.58		Fukushima <i>et al.</i> 2006
9.95		Kodama <i>et al.</i> , 2000; Bielniki <i>et al.</i> , 2006, Magnet <i>et al.</i> , 2007A and 2007B
9.49		Kodama <i>et al.</i> , 2000
5.78		Kodama <i>et al.</i> , 2000; Costa <i>et al.</i> , 2006
4.20		Kodama <i>et al.</i> , 2000; Costa <i>et al.</i> , 2006
7.73		Ravagnani <i>et al.</i> , 2005
8.68		Desvaux <i>et al.</i> , 2006
5.23		Desvaux <i>et al.</i> , 2006
9.16		Desvaux <i>et al.</i> , 2006
5.58		Desvaux <i>et al.</i> , 2006
9.31		Béliveau <i>et al.</i> , 1991; Eckert <i>et al.</i> , 2006
5.21		Lepage <i>et al.</i> , 2006
9.88	SpsA subfamily	Bateman and Bycroft, 2000
9.42		Magnet <i>et al.</i> , 2007A and 2007B
8.89		Magnet <i>et al.</i> , 2007A and 2007B
8.95		Bateman and Bycroft 2000; Hayward <i>et al.</i> , 2006
9.52		Lange and Hengge-Aronis, 1994
4.63		Mellilo <i>et al.</i> , 2006
9.65		Desvaux <i>et al.</i> , 2006
6.72		Borges <i>et al.</i> , 2005; Martin <i>et al.</i> , 2002; Rioux <i>et al.</i> , 2001
9.93		Buist <i>et al.</i> , 1995, 1997a, 1997b; Steen <i>et al.</i> , 2003, 2005a, 2005b; Bosma <i>et al.</i> , 2006; van Roosmalen <i>et al.</i> , 2006
4.52		Buist, Steen <i>et al.</i> , unpublished)
8.65		Turner <i>et al.</i> , 2004

7.97	unique for Lactobacillales (ftp://ft Makarova and Koonin, 2007	
9.39		van Pijkeren <i>et al.</i> , 2006
9.26		van Pijkeren <i>et al.</i> , 2006
	hypothetical LysM proteins	van Pijkeren <i>et al.</i> , 2006
8.97		van Pijkeren <i>et al.</i> , 2006
		Boekhorst <i>et al.</i> , 2006
9.37		Boekhorst <i>et al.</i> , 2006
9.59	prophage Lp1 protein 58	Boekhorst <i>et al.</i> , 2006
9.89	prophage Lp1 protein 56	Boekhorst <i>et al.</i> , 2006
		Bath <i>et al.</i> , 2005
		Bath <i>et al.</i> , 2005
9.66		Bath <i>et al.</i> , 2005
5.07		Wall <i>et al.</i> , 2003
4.47		Wall <i>et al.</i> , 2003
6.57		Wall <i>et al.</i> , 2003
5.23	SpsA subfamily	Ravagnani <i>et al.</i> , 2005
9.32		Lenz <i>et al.</i> , 2003; Machata <i>et al.</i> , 2005; Bierne and Cossart 2007
6.36	LysM and LPXTG	Bierne and Cossart 2007
4.61		Bierne and Cossart 2007
5.81		Bierne and Cossart 2007
5.70	SpsA subfamily	Bierne and Cossart 2007, Ravagnani <i>et al.</i> , 2005
9.73		Lenz <i>et al.</i> , 2003; Machata <i>et al.</i> , 2005; Carroll <i>et al.</i> , 2003; Bierne and Cossart 2007
5.69		Desvaux <i>et al.</i> , 2006
4.20	essential growth factor, LysM su	Mukamolova <i>et al.</i> , 2002a, 2002b, 2006, Ravagnani <i>et al.</i> , 2005
11.64		Chauhan <i>et al.</i> , 2006
4.33		Oldfield <i>et al.</i> , 2007
4.25	SpsA subfamily	Ravagnani <i>et al.</i> , 2005
4.84		Ohnuma <i>et al.</i> , 2008
3.66		Desvaux <i>et al.</i> , 2006
9.67		Kajimura <i>et al.</i> , 2005, Heilmann <i>et al.</i> , 2005
5.86		Downer <i>et al.</i> , 2002
9.48		Sugai <i>et al.</i> , 1998

5.54		Bateman and Bycroft 2000
9.67	antigenic	Heilmann <i>et al.</i> , 2003; Pourmand <i>et al.</i> , 2006
6.02	antigenic	Pourmand <i>et al.</i> , 2006
4.36	antigenic	Pourmand <i>et al.</i> , 2006
3.91		Borges <i>et al.</i> 2005, 2006
9.96		Desvaux <i>et al.</i> , 2006
9.20		Desvaux <i>et al.</i> , 2006
8.98		Desvaux <i>et al.</i> , 2006
8.44		Bateman and Bycroft, 2000
6.00		Madsen <i>et al.</i> , 2003; Knogge and Scheel, 2006; Radutoiu <i>et al.</i> , 2007
5.65		Madsen <i>et al.</i> , 2003; Knogge and Scheel, 2006; Arrighi <i>et al.</i> , 2006; Radutoiu <i>et al.</i> , 2007
7.50		Arrighi <i>et al.</i> , 2006; Mulder <i>et al.</i> , 2006; Smit <i>et al.</i> , 2007
6.09		Limpens <i>et al.</i> , 2003; Knogge and Scheel, 2006
6.24		Arrighi <i>et al.</i> , 2006
5.91		Wan <i>et al.</i> , 2008; Miya <i>et al.</i> , 2006
5.91		Wan <i>et al.</i> , 2008
5.28		Wan <i>et al.</i> , 2008
5.68		Wan <i>et al.</i> , 2008
7.37		Kaku <i>et al.</i> , 2006
8.75	CVNH type III	Percudani <i>et al.</i> , 2005
9.24	CVNH type III	Percudani <i>et al.</i> , 2005

Legend to supplementary Table S1

List of studied LysM containing proteins. Loc/nr LM, location and number of Lysin Motifs present; Loc Prot, cellular location of the protein; pI, determined using http://www.expasy.org/cgi-bin/pi_tool.

References for supplementary Table S1

1. Bailey-Smith, K., Todd, S.J., Southworth, T.W., Proctor, J., and Moir, A. (2005) The ExsA protein of *Bacillus cereus* is required for assembly of coat and exosporium onto the spore surface. *J Bacteriol* **187**: 3800-3806.
2. Bath, K., Roos, S., Wall, T., and Jonsson, H. (2005) The cell surface of *Lactobacillus reuteri* ATCC 55730 highlighted by identification of 126 extracellular proteins from the genome sequence. *FEMS Microbiol Lett* **253**: 75-82.
3. Boekhorst, J., Wels, M., Kleerebezem, M., and Siezen, R.J. (2006) The predicted secretome of *Lactobacillus plantarum* WCFS1 sheds light on interactions with its environment. *Microbiol* **152**: 3175-3183
4. Borges, F., Layec, S., Fernandez, A., Decaris, B., and Leblond-Bourget, N. (2006) High genetic variability of the *Streptococcus thermophilus* cse central part, a repeat rich region required for full cell segregation activity. *Antonie Van Leeuwenhoek* **90**: 245-255.
5. Carroll, S.A., Hain, T., Technow, U., Darji, A., Pashalidis, P., Joseph, S.W., and Chakraborty, T. (2003) Identification and characterization of a peptidoglycan hydrolase, MurA, of *Listeria monocytogenes*, a muramidase needed for cell separation. *J Bacteriol* **185**:6801-6808.
6. Chirakkal, H., O'Rourke, M., Atrih, A., Foster, S.J., and Moir, A. (2002) Analysis of spore cortex lytic enzymes and related proteins in *Bacillus subtilis* endospore germination. *Microbiol* **148**: 2383-2392.

7. Hayward, R.D., Leong, J.M., Koronakis, V., and Campellone, K.G. (2006) Exploiting pathogenic *Escherichia coli* to model transmembrane receptor signalling. *Nat Rev Microbiol* **4**: 358-370.
8. Heilmann, C., Thumm, G., Chhatwal, G.S., Hartleib, J., Uekotter, A., and Peters, G. (2003) Identification and characterization of a novel autolysin (Aae) with adhesive properties from *Staphylococcus epidermidis*. *Microbiol* **149**: 2769-2778.
9. Knogge, W., and Scheel, D. (2006) LysM receptors recognize friend and foe. *Proc Natl Acad Sci U S A* **103**: 10829-10830.
10. Kodama, T., Takamatsu, H., Asai, K., Ogasawara, N., Sadaie, Y., and Watabe, K. (2000) Synthesis and characterization of the spore proteins of *Bacillus subtilis* YdhD, YkuD, and YkvP, which carry a motif conserved among cell wall binding proteins. *J Biochem (Tokyo)* **128**: 655-63.
11. Lange, R., and Hengge-Aronis, R. (1994) The *nlpD* gene is located in an operon with *rpoS* on the *Escherichia coli* chromosome and encodes a novel lipoprotein with a potential function in cell wall formation. *Mol Microbiol* **13**:733-743.
12. Lepage, E., Brinster, S., Caron, C., Ducroix-Crepy, C., Rigottier-Gois, L., Dunny, G., Hennequet-Antier, C., and Serror, P. (2006) Comparative genomic hybridization analysis of *Enterococcus faecalis*: identification of genes absent from food strains. *J Bacteriol* **188**: 6858-6868.
13. Machata, S., Hain, T., Rohde, M., and Chakraborty, T. (2005) Simultaneous deficiency of both MurA and p60 proteins generates a rough phenotype in *Listeria monocytogenes*. *J Bacteriol* **187**: 8385-8394.
14. Magnet, S., Arbeloa, A., Mainardi, J.L., Hugonnet, J.E., Fourgeaud, M., Dubost, L., Marie, A., Delfosse, V., Mayer, C., Rice, L.B., Arthur, M. (2007A) Specificity of L,D-

- transpeptidases from gram-positive bacteria producing different peptidoglycan chemotypes. *J Biol Chem* **282**: 13151-1319.
15. Magnet, S., Bellais, S., Dubost, L., Fourgeaud, M., Mainardi, J.L., Petit-Frère, S., Marie, A., Mengin-Lecreulx, D., Arthur, M., and Gutmann, L. (2007B) Identification of the L,D-transpeptidases responsible for attachment of the Braun lipoprotein to *Escherichia coli* peptidoglycan. *J Bacteriol.* **189**: 3927-3931.
16. Makarova, K.S., Koonin, E.V. (2007) Evolutionary genomics of lactic acid bacteria. *J Bacteriol* **189**: 1199-1208.
17. Mukamolova, G.V., Turapov, O.A., Young, D.I., Kaprelyants, A.S., Kell, D.B., and Young, M. (2002) A family of autocrine growth factors in *Mycobacterium tuberculosis*. *Mol Microbiol* **46**: 623-635.
18. Mukamolova, G.V., Turapov, O.A., Kazarian, K., Telkov, M., Kaprelyants, A.S., Kell, D.B., and Young, M. 2002 The *rpf* gene of *Micrococcus luteus* encodes an essential secreted growth factor. *Mol Microbiol* **46**: 611-621.
19. Pourmand, M.R., Clarke, S.R., Schuman, R.F., Mond, J.J., and Foster, S.J. (2006) Identification of antigenic components of *Staphylococcus epidermidis* expressed during human infection. *Infect Immun* **74**: 4644-4654.
20. Smit, P., Limpens, E., Geurts, R., Fedorova, E., Dolgikh, E., Gough, C., and Bisseling, T. (2007) Medicago LYK3, an Entry Receptor in Rhizobial Nodulation Factor Signaling. *Plant Physiol* **145**: 183-191.
21. Sugai, M., Fujiwara, T., Komatsuzawa, H., and Suginaka, H. (1998) Identification and molecular characterization of a gene homologous to *epr* (endopeptidase resistance gene) in *Staphylococcus aureus*. *Gene* **224**: 67-75.
22. van Pijkeren, J.P., Canchaya, C., Ryan, K.A., Li, Y., Claesson, M.J., Sheil, B., Steidler, L., O'Mahony, L., Fitzgerald, G.F., van Sinderen, D., and O'Toole, P.W.

- (2006) Comparative and functional analysis of sortase-dependent proteins in the predicted secretome of *Lactobacillus salivarius* UCC118. *Appl Environ Microbiol* **72**: 4143-4153.
23. Wall, T., Roos, S., Jacobsson, K., Rosander, A., and Jonsson, H. (2003) Phage display reveals 52 novel extracellular and transmembrane proteins from *Lactobacillus reuteri* DSM 20016(T). *Microbiol* **149**: 3493-3505.